

			003-007-C4	aı)
	In re Application of	SLIWA et al.		
.,	Application Number 10/008,997 Filed December		Filed December 5, 200	1
:	For METHODS AND DEVICES FOR ABLATION			
	Group Art Unit 3739	Examiner Michael F. Peffley	/	
This is a request under the provisio reply in the above identified applica		a) to extend the peri	iod for filing a	
The requested extension and appro	opriate non-small-enti	ty fee are as follows	s	
☐ One month (37 CFR	1.17(a)(1))		\$	
	R 1.17(a)(2))		\$ 420	
☐ Three months (37 C	FR 1.17(a)(3))		\$	
☐ Four months (37 CF	FR 1.17(a)(4))		\$	
☐ Five months (37 CF	R 1.17(a)(5))		\$	
☐ A check in the amount of the Payment by credit card. For The Commissioner has alrest application to Deposit According The Commissioner is hereful or credit any overpayment. I have enclosed a duplicated and the ☐ applicant/inventor. ☐ assignee of record of the Statement under 37 C ☐ attorney or agent under ☐ attorney or agent or ☐ attorney or agent under ☐ attorney or agent or ☐ attorney or ☐ ☐ attorney or ☐ ☐ attorney or ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	orm PTO-2038 is attacted by the property of th	to charge fees in the ge any fees which in Number 50-1247.  a 37 CFR 3.71 and (Form PTO/SB	nay be required,  96).	TECHNOLOGY CENTER 3700
April 26, 2004		Jh 4-		
Date		<i>,</i> .	Signature /	
			lens E. Hoekendijk Reg. No.: 37,149	
			ped or printed name	
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple				
orms if more than one signature is required, see  *Total of forms are submitted.	below*.			

Burden Hour Statement: This form is estimated to take 0.1 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Commissioner for Patents, P.O. Box 1450, Arlington, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Arlington, VA 22313-1450.